



Requirements for Certificate of Testing for Entering Japan

※Only test certificates which show the results of the test using valid samples and testing methods below are valid.

Valid	Invalid
<p>Sample:</p> <ul style="list-style-type: none"> ● Nasopharyngeal/Nasopharynx (Swab/smear) ● Rhinopharyngeal/Rhinopharynx (Swab/smear) ● (Deep throat)Saliva sample ● Nasopharyngeal (※) and oropharyngeal(throat) (swab /smear) (Naso and oropharyngeal/Rhino and oropharyngeal/oro and nashopharyngeal (※)) (※Nasopharyngeal/Rhinopharyngeal/Nasopharynx/Rhinopharynx) 	<ul style="list-style-type: none"> ● Nasal (swab/smear) ● Oral (swab/smear) ● Throat (swab/smear) ● Mid-Turbinate Nasal (swab/smear) ● Nose ● Gargle Water ● Mixture of sample “A” and “B” “A” and “B” show all types of sample(except nasopharyngeal and oropharyngeal(swab/smear)). <Example> ➢ Nasal and throat (swab/smear) ➢ Pharyngeal and nasal (swab/smear) ➢ Nasal and oropharyngeal/oropharynx (swab/smear)
<p>Testing Method:</p> <p>Nucleic acid amplification test</p> <ul style="list-style-type: none"> ● PCR - Polymerase chain reaction ● (RT-)PCR - Reverse transcription PCR (real-time (RT-)PCR/Q-PCR/Fluorescence-PCR/Multiplex-PCR) ● LAMP – Loop-mediated isothermal amplification (RT-LAMP) ● TMA – Transcription mediated amplification ● TRC - Transcription-reverse transcription concerted reaction ● Smart Amp - Smart amplification process ● NEAR - Nicking endonuclease amplification reaction (e.g. ID-NOW) <p>Others</p> <ul style="list-style-type: none"> ● Next generation sequencing ● Quantitative antigen test (CLEIA/ECLEIA) <p>※Recommend in Japan as a sample/testing method for asymptomatic people.</p>	<ul style="list-style-type: none"> ● Antigen test/test kit ● Rapid antigen test/test kit ● Antibody test/test kit <p>※Not recommend in Japan as a sample/testing method for asymptomatic people.</p>

Sample collection must be done Within 72 hours before the departure time of the flight.

※These requirements may be changed depending on infection status.